

OTHER ARTICLES NOTED (26 Mar 2004)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Aljabri K, Kozak SE, Thompson DM. Addition of pioglitazone or bedtime insulin to maximal doses of sulfonylurea and metformin in type 2 diabetes patients with poor glucose control: a prospective, randomized trial. *Am J Med* 2004;**116**:230–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14969650

Bueving HJ, Bernsen RM, de Jongste JC, *et al.* Influenza vaccination in children with asthma: randomized double-blind placebo-controlled trial. *Am J Respir Crit Care Med* 2004;**169**:488–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14656755

Christ-Crain M, Jaccard-Stolz D, Bingisser R, *et al.* Effect of procalcitonin-guided treatment on antibiotic use and outcome in lower respiratory tract infections: cluster-randomised, single-blinded intervention trial. *Lancet* 2004;**363**:600–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14987884

Dailey GE 3rd, Noor MA, Park JS, *et al.* Glycemic control with glyburide/metformin tablets in combination with rosiglitazone in patients with type 2 diabetes: a randomized, double-blind trial. *Am J Med* 2004;**116**:223–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14969649

Geddes JR, Burgess S, Hawton K, *et al.* Long-term lithium therapy for bipolar disorder: systematic review and meta-analysis of randomized controlled trials. *Am J Psychiatry* 2004;**161**:217–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14754766

Hambidge SJ, Davidson AJ, Phibbs SL, *et al.* Strategies to improve immunization rates and well-child care in a disadvantaged population: a cluster randomized controlled trial. *Arch Pediatr Adolesc Med* 2004;**158**:162–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14757608

Hatsukami DK, Rennard S, Patel MK, *et al.* Effects of sustained-release bupropion among persons interested in reducing but not quitting smoking. *Am J Med* 2004;**116**:151–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14749158

Hayden FG, Belshe R, Villanueva C, *et al.* Management of influenza in households: a prospective, randomized comparison of oseltamivir treatment with or without postexposure prophylaxis. *J Infect Dis* 2004;**189**:440–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14745701

Jarjoura D, Polen A, Baum E, *et al.* Effectiveness of screening and treatment for depression in ambulatory indigent patients. *J Gen Intern Med* 2004;**19**:78–84.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14748864

Keystone EC, Schiff MH, Kremer JM, *et al.* Once-weekly administration of 50 mg etanercept in patients with active rheumatoid arthritis: results of a multicenter, randomized, double-blind, placebo-controlled trial. *Arthritis Rheum* 2004;**50**:353–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14872476

King VJ, Viswanathan M, Bordley WC, *et al.* Pharmacologic treatment of bronchiolitis in infants and children: a systematic review. *Arch Pediatr Adolesc Med* 2004;**158**:127–37.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14757604

Morin CM, Bastien C, Guay B, *et al.* Randomized clinical trial of supervised tapering and cognitive behavior therapy to facilitate benzodiazepine discontinuation in older adults with chronic insomnia. *Am J Psychiatry* 2004;**161**:332–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14754783

Mull CC, Scarfone RJ, Ferri LR, *et al.* A randomized trial of nebulized epinephrine vs albuterol in the emergency department treatment of bronchiolitis. *Arch Pediatr Adolesc Med* 2004;**158**:113–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14757602

Puolakka K, Kautiainen H, Möttönen T, *et al.* Impact of initial aggressive drug treatment with a combination of disease-modifying antirheumatic drugs on the development of work disability in early rheumatoid arthritis: a five-year randomized followup trial. *Arthritis Rheum* 2004;**50**:55–62.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14730599

Quinlan DJ, McQuillan A, Eikelboom JW. Low-molecular-weight heparin compared with intravenous unfractionated heparin for treatment of pulmonary embolism: a meta-analysis of randomized, controlled trials. *Ann Intern Med* 2004;**140**:175–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14757615

Ricauda NA, Bo M, Molaschi M, *et al.* Home hospitalization service for acute uncomplicated first ischemic stroke in elderly patients: a randomized trial. *J Am Geriatr Soc* 2004;**52**:278–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14728641

Soledad Cepeda M, Alvarez H, Morales O, *et al.* Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects. *Pain* 2004;**107**:41–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14715387

Stein MD, Solomon DA, Herman DS, *et al.* Pharmacotherapy plus psychotherapy for treatment of depression in active injection drug users. *Arch Gen Psychiatry* 2004;**61**:152–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14757591

Thomas A, Iacono D, Luciano AL, *et al.* Duration of amantadine benefit on dyskinesia of severe Parkinson's disease. *J Neurol Neurosurg Psychiatry* 2004;**75**:141–3.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14707325

Vogel T, Verreault R, Gourdeau M, *et al.* Optimal duration of antibiotic therapy for uncomplicated urinary tract infection in older women: a double-blind randomized controlled trial. *CMAJ* 2004;**170**:469–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14970093

Wilson AM, O'Byrne PM, Parameswaran K. Leukotriene receptor antagonists for allergic rhinitis: a systematic review and meta-analysis. *Am J Med* 2004;**116**:338–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14984820

Zobbe V, Gimbel H, Andersen BM, *et al.* Sexuality after total vs. subtotal hysterectomy. *Acta Obstet Gynecol Scand* 2004;**83**:191–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14756739

Assessment (screening or diagnosis)

Bachmann LM, Haberzeth S, Steurer J, *et al.* The accuracy of the Ottawa knee rule to rule out knee fractures: a systematic review. *Ann Intern Med* 2004;**140**:121–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14734335

Bordley WC, Viswanathan M, King VJ, *et al.* Diagnosis and testing in bronchiolitis: a systematic review. *Arch Pediatr Adolesc Med* 2004;**158**:119–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14757603

Prognosis

Alarcón GS, Roseman JM, McGwin G Jr, *et al.* Systemic lupus erythematosus in three ethnic groups. XX. Damage as a predictor of further damage. *Rheumatology (Oxford)* 2004;**43**:202–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12923289

Causation

Beebe-Dimmer J, Lynch JW, Turrell G, *et al.* Childhood and adult socioeconomic conditions and 31-year mortality risk in women. *Am J Epidemiol* 2004;**159**:481–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14977644

Hillis SD, Anda RF, Dube SR, *et al.* The association between adverse childhood experiences and adolescent pregnancy, long-term psychosocial consequences, and fetal death. *Pediatrics* 2004;**113**:320–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14754944

Howard AA, Arnsten JH, Gourevitch MN. Effect of alcohol consumption on diabetes mellitus: a systematic review. *Ann Intern Med* 2004;**140**:211–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14757619

Surkan PJ, Stephansson O, Dickman PW, *et al.* Previous preterm and small-for-gestational-age births and the subsequent risk of stillbirth. *N Engl J Med* 2004;**350**:777–85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14973215

Quality improvement

Gibson PG, Powell H. Written action plans for asthma: an evidence-based review of the key components. *Thorax* 2004;**59**:94–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14760143

Clinical prediction guide

Brophy JM, Dagenais GR, McSherry F, *et al.* A multivariate model for predicting mortality in patients with heart failure and systolic dysfunction. *Am J Med* 2004;**116**:300–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14984814

Hak E, Wei F, Nordin J, *et al.* Development and validation of a clinical prediction rule for hospitalization due to pneumonia or influenza or death during influenza epidemics among community-dwelling elderly persons. *J Infect Dis* 2004;**189**:450–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14745702

Hashima JN, Eden KB, Osterweil P, *et al.* Predicting vaginal birth after cesarean delivery: a review of prognostic factors and screening tools. *Am J Obstet Gynecol* 2004;**190**:547–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14981405

Qualitative

Salazar MK, Napolitano M, Scherer JA, *et al.* Hispanic adolescent farmworkers' perceptions associated with pesticide exposure. *West J Nurs Res* 2004;**26**:146–66.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15005979