

OTHER ARTICLES NOTED (09 July 2004)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Barron ME, Wilkes MM, Navickis RJ. A systematic review of the comparative safety of colloids. *Arch Surg* 2004;**139**:552–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15136357

Beaupre LA, Lier D, Davies DM, *et al*. The effect of a preoperative exercise and education program on functional recovery, health related quality of life, and health service utilization following primary total knee arthroplasty. *J Rheumatol* 2004;**31**:1166–73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15170931

Edelman A, Nichols MD, Leclair C, *et al*. Intrauterine lidocaine infusion for pain management in first-trimester abortions. *Obstet Gynecol* 2004;**103**:1267–72.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15172863

Esteban A, Frutos-Vivar F, Ferguson ND, *et al*. Noninvasive positive-pressure ventilation for respiratory failure after extubation. *N Engl J Med* 2004;**350**:2452–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15190137

Goudswaard AN, Stolk RP, Zuithoff P, *et al*. Starting insulin in type 2 diabetes: continue oral hypoglycemic agents? A randomized trial in primary care. *J Fam Pract* 2004;**53**:393–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15125825

Harvey RF, Lane JA, Murray LJ, *et al*, and the Bristol Helicobacter Project. Randomised controlled trial of effects of *Helicobacter pylori* infection and its eradication on heartburn and gastro-oesophageal reflux: Bristol Helicobacter Project. *BMJ* 2004;**328**:1417.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15126313

He D, Bo Veiersted K, Hostmark AT, *et al*. Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study. *Pain* 2004;**109**:299–307.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15157691

Holdgate A, Pollock T. Systematic review of the relative efficacy of non-steroidal anti-inflammatory drugs and opioids in the treatment of acute renal colic. *BMJ* 2004;**328**:1401.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15178585

Laheij RJ, Hermesen JT, Jansen JB, *et al.* Empirical treatment followed by a test-and-treat strategy is more cost-effective in comparison with prompt endoscopy or radiography in patients with dyspeptic symptoms: a randomized trial in a primary care setting. *Fam Pract* 2004;**21**:238–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15128682

Mufson L, Dorta KP, Wickramaratne P, *et al.* A randomized effectiveness trial of interpersonal psychotherapy for depressed adolescents. *Arch Gen Psychiatry* 2004;**61**:577–84.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15184237

Nystedt A, Edvardsson D, Willman A. Epidural analgesia for pain relief in labour and childbirth—a review with a systematic approach. *J Clin Nurs* 2004;**13**:455–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15086632

Philip J, Silver RK, Wilson RD, *et al.*, and the NICHD EATA Trial Group. Late first-trimester invasive prenatal diagnosis: results of an international randomized trial. *Obstet Gynecol* 2004;**103**:1164–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15172848

Rohde P, Clarke GN, Mace DE, *et al.* An efficacy/effectiveness study of cognitive-behavioral treatment for adolescents with comorbid major depression and conduct disorder. *J Am Acad Child Adolesc Psychiatry* 2004;**43**:660–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15167082

Watt-Watson J, Stevens B, Katz J, *et al.* Impact of preoperative education on pain outcomes after coronary artery bypass graft surgery. *Pain* 2004;**109**:73–85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15082128

Williams JW Jr, Katon W, Lin EH, *et al.*, and the IMPACT Investigators. The effectiveness of depression care management on diabetes-related outcomes in older patients. *Ann Intern Med* 2004;**140**:1015–24.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15197019

Prognosis

Christensen K, Juel K, Herskind AM, *et al.* Long term follow up study of survival associated with cleft lip and palate at birth. *BMJ* 2004;**328**:1405.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15145797

Johansson JE, Andren O, Andersson SO, *et al.* Natural history of early, localized prostate cancer. *JAMA* 2004;**291**:2713–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15187052

Kuijpers T, Van Der Windt DA, Van Der Heijden GJ, *et al.* Systematic review of prognostic cohort studies on shoulder disorders. *Pain* 2004;**109**:420–31.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15157703

Lucey JF, Rowan CA, Shiono P, *et al.* Fetal infants: the fate of 4172 infants with birth weights of 401 to 500 grams—the Vermont Oxford Network experience (1996–2000). *Pediatrics* 2004;**113**:1559–66.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15173474

Messinger DS, Bauer CR, Das A, *et al.* The maternal lifestyle study: cognitive, motor, and behavioral outcomes of cocaine-exposed and opiate-exposed infants through three years of age. *Pediatrics* 2004;**113**:1677–85.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15173491

Sheiner E, Levy A, Yerushalmi R, *et al.* Beta-thalassemia minor during pregnancy. *Obstet Gynecol* 2004;**103**:1273–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15172864

Causation

Liu EH, Sia AT. Rates of caesarean section and instrumental vaginal delivery in nulliparous women after low concentration epidural infusions or opioid analgesia: systematic review. *BMJ* 2004;**328**:1410.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15169744

Luo ZC, Wilkins R, Kramer MS, and the Fetal and Infant Health Study Group of the Canadian Perinatal Surveillance System. Disparities in pregnancy outcomes according to marital and cohabitation status. *Obstet Gynecol* 2004;**103**:1300–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15172868

Spataro J, Mullen PE, Burgess PM, *et al*. Impact of child sexual abuse on mental health: prospective study in males and females. *Br J Psychiatry* 2004;**184**:416–21.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15123505

Clinical prediction guide

Eagle KA, Lim MJ, Dabbous OH, *et al*, and the GRACE Investigators. A validated prediction model for all forms of acute coronary syndrome: estimating the risk of 6-month postdischarge death in an international registry. *JAMA* 2004;**291**:2727–33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15187054

Millham FH, LaMorte WW. Factors associated with mortality in trauma: re-evaluation of the TRISS method using the National Trauma Data Bank. *J Trauma* 2004;**56**:1090–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15179251

Mitchell SL, Kiely DK, Hamel MB, *et al*. Estimating prognosis for nursing home residents with advanced dementia. *JAMA* 2004;**291**:2734–40.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15187055

Qualitative

Aberg AC, Sidenvall B, Hepworth M, *et al*. Continuity of the self in later life: perceptions of informal caregivers. *Qual Health Res* 2004;**14**:792–815.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15200801

Calvin AO. Haemodialysis patients and end-of-life decisions: a theory of personal preservation. *J Adv Nurs* 2004;**46**:558–66.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15139945

Canales MK, Geller BM. Moving in between mammography: screening decisions of American Indian women in Vermont. *Qual Health Res* 2004;**14**:836–57.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15200803

Cloherly M, Alexander J, Holloway I. Supplementing breast-fed babies in the UK to protect their mothers from tiredness or distress. *Midwifery* 2004;**20**:194–204.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15177864

Escott D, Spiby H, Slade P, *et al.* The range of coping strategies women use to manage pain and anxiety prior to and during first experience of labour. *Midwifery* 2004;**20**:144–56.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15177858

Fielding SL, Schaff EA. Social context and the experience of a sample of U.S. women taking RU-486 (mifepristone) for early abortion. *Qual Health Res* 2004;**14**:612–27.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15107166

Foote-Ardah CE. Sociocultural barriers to the use of complementary and alternative medicine for HIV. *Qual Health Res* 2004;**14**:593–611.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15107165

Hinck S. The lived experience of oldest-old rural adults. *Qual Health Res* 2004;**14**:779–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15200800

Jeng C, Yang SH, Chang PC, *et al.* Menopausal women: perceiving continuous power through the experience of regular exercise. *J Clin Nurs* 2004;**13**:447–54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15086631

Mathole T, Lindmark G, Majoko F, *et al.* A qualitative study of women's perspectives of antenatal care in a rural area of Zimbabwe. *Midwifery* 2004;**20**:122–32.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15177855

Medved MI, Brockmeier J. Making sense of traumatic experiences: telling your life with fragile x syndrome. *Qual Health Res* 2004;**14**:741–59.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15200798

O'Flynn N, Britten N. Diagnosing menstrual disorders: a qualitative study of the approach of primary care professionals. *Br J Gen Pract* 2004;**54**:353–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15113518

Parvin A, Jones CE, Hull SA. Experiences and understandings of social and emotional distress in the postnatal period among Bangladeshi women living in Tower Hamlets. *Fam Pract* 2004;**21**:254–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15128685

Pearson P, Procter S, Wilcockson J, *et al.* The process of hospital discharge for medical patients: a model. *J Adv Nurs* 2004;**46**:496–505.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15139938

Regehr C, Kjerulf M, Popova SR, *et al.* Trauma and tribulation: the experiences and attitudes of operating room nurses working with organ donors. *J Clin Nurs* 2004;**13**:430–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15086629

Seibold C. Young single women's experiences of pregnancy, adjustment, decision-making and ongoing identity construction. *Midwifery* 2004;**20**:171–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15177861

Shaw KL, Southwood TR, McDonagh JE, and the British Paediatric Rheumatology Group. User perspectives of transitional care for adolescents with juvenile idiopathic arthritis. *Rheumatology (Oxford)* 2004;**43**:770–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15039498

Thomas-MacLean R. Memories of treatment: the immediacy of breast cancer. *Qual Health Res* 2004;**14**:628–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15107167

Turner PK. Mainstreaming alternative medicine: doing midwifery at the intersection. *Qual Health Res* 2004;**14**:644–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15107168

Wiman E, Wikblad K. Caring and uncaring encounters in nursing in an emergency department. *J Clin Nurs* 2004;**13**:422–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15086628