

OTHER ARTICLES NOTED (13 Aug 2004)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Contopoulos-Ioannidis DG, Giotis ND, Baliatsa DV, *et al.* Extended-interval aminoglycoside administration for children: a meta-analysis. *Pediatrics* 2004;**114**:e111–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15231982

Dani C, Bertini G, Pezzati M, *et al.* Early extubation and nasal continuous positive airway pressure after surfactant treatment for respiratory distress syndrome among preterm infants <30 weeks' gestation. *Pediatrics* 2004;**113**:e560–3.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15173537

Dietrich KN, Ware JH, Salganik M, *et al.*, and the Treatment of Lead-Exposed Children Clinical Trial Group. Effect of chelation therapy on the neuropsychological and behavioral development of lead-exposed children after school entry. *Pediatrics* 2004;**114**:19–26.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15231903

Franz AR, Bauer K, Schalk A, *et al.*, and the International IL-8 Study Group. Measurement of interleukin 8 in combination with C-reactive protein reduced unnecessary antibiotic therapy in newborn infants: a multicenter, randomized, controlled trial. *Pediatrics* 2004;**114**:1–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15231900

Fregni F, Santos CM, Myczkowski ML, *et al.* Repetitive transcranial magnetic stimulation is as effective as fluoxetine in the treatment of depression in patients with Parkinson's disease. *J Neurol Neurosurg Psychiatry* 2004;**75**:1171–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15258224

Grigor C, Capell H, Stirling A, *et al.* Effect of a treatment strategy of tight control for rheumatoid arthritis (the TICORA study): a single-blind randomised controlled trial. *Lancet* 2004;**364**:263–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15262104

Henderson C, Flood C, Leese M, *et al*. Effect of joint crisis plans on use of compulsory treatment in psychiatry: single blind randomised controlled trial. *BMJ* 2004;**329**:136.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15240438

Ip S, Chung M, Kulig J, *et al*, and the American Academy of Pediatrics Subcommittee on Hyperbilirubinemia. An evidence-based review of important issues concerning neonatal hyperbilirubinemia. *Pediatrics* 2004;**114**:e130–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15231986

Lallemant M, Jourdain G, Le Coeur S, *et al*, and the Perinatal HIV Prevention Trial (Thailand) Investigators. Single-dose perinatal nevirapine plus standard zidovudine to prevent mother-to-child transmission of HIV-1 in Thailand. *N Engl J Med* 2004;**351**:217–28.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15247338

Muller T, Mannel M, Murck H, *et al*. Treatment of somatoform disorders with St. John's wort: a randomized, double-blind and placebo-controlled trial. *Psychosom Med* 2004;**66**:538–47.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15272100

Spiro DM, King WD, Arnold DH, *et al*. A randomized clinical trial to assess the effects of tympanometry on the diagnosis and treatment of acute otitis media. *Pediatrics* 2004;**114**:177–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15231925

Tornwall ME, Virtamo J, Korhonen PA, *et al*. Postintervention effect of alpha tocopherol and beta carotene on different strokes: a 6-year follow-up of the Alpha Tocopherol, Beta Carotene Cancer Prevention Study. *Stroke* 2004;**35**:1908–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15205487

Assessment (screening or diagnosis)

Meulen EF, Schmand B, van Campen JP, *et al*. The seven minute screen: a neurocognitive screening test highly sensitive to various types of dementia. *J Neurol Neurosurg Psychiatry* 2004;**75**:700–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15090563

Prognosis

Coull AJ, Rothwell PM. Underestimation of the early risk of recurrent stroke: evidence of the need for a standard definition. *Stroke* 2004;**35**:1925–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15192248

Leung CW, Kwan YW, Ko PW, *et al.* Severe acute respiratory syndrome among children. *Pediatrics* 2004;**113**:e535–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15173534

Roger VL, Weston SA, Redfield MM, *et al.* Trends in heart failure incidence and survival in a community-based population. *JAMA* 2004;**292**:344–50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15265849

Causation

Arias Y, Taylor DS, Marcin JP. Association between evening admissions and higher mortality rates in the pediatric intensive care unit. *Pediatrics* 2004;**113**:e530–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15173533

Lett HS, Blumenthal JA, Babyak MA, *et al.* Depression as a risk factor for coronary artery disease: evidence, mechanisms, and treatment. *Psychosom Med* 2004;**66**:305–15.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15184688

Maru S, van der Schouw YT, Gimbrere CH, *et al.* Body mass index and short-term weight change in relation to mortality in Dutch women after age 50 y. *Am J Clin Nutr* 2004;**80**:231–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15213053

Whitaker RC. Predicting preschooler obesity at birth: the role of maternal obesity in early pregnancy. *Pediatrics* 2004;**114**:e29–36.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15231970

Qualitative

Hsu MT, Tseng YF, Banks JM, *et al.* Interpretations of stillbirth. *J Adv Nurs* 2004;**47**:408–16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15271160

Kingston MJ, Evans SM, Smith BJ, *et al.* Attitudes of doctors and nurses towards incident reporting: a qualitative analysis. *Med J Aust* 2004;**181**:36–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15233611

McLafferty I, Morrison F. Attitudes towards hospitalized older adults. *J Adv Nurs* 2004;**47**:446–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15271164