

OTHER ARTICLES NOTED (10 Sept 2004)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Bergqvist D. Low molecular weight heparin for the prevention of venous thromboembolism after abdominal surgery. *Br J Surg* 2004;**91**:965–74.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15286956

Cox LS, Patten CA, Niaura RS, *et al.* Efficacy of bupropion for relapse prevention in smokers with and without a past history of major depression. *J Gen Intern Med* 2004;**19**:828–34.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15242467

Cullen L, Taylor D, Taylor S, *et al.* Nebulized lidocaine decreases the discomfort of nasogastric tube insertion: a randomized, double-blind trial. *Ann Emerg Med* 2004;**44**:131–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15278085

Doyle EA, Weinzimer SA, Steffen AT, *et al.* A randomized, prospective trial comparing the efficacy of continuous subcutaneous insulin infusion with multiple daily injections using insulin glargine. *Diabetes Care* 2004;**27**:1554–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15220227

Dzator JA, Hendrie D, Burke V, *et al.* A randomized trial of interactive group sessions achieved greater improvements in nutrition and physical activity at a tiny increase in cost. *J Clin Epidemiol* 2004;**57**:610–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15246129

Epstein LH, Paluch RA, Kilanowski CK, *et al.* The effect of reinforcement or stimulus control to reduce sedentary behavior in the treatment of pediatric obesity. *Health Psychol* 2004;**23**:371–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15264973

Greco T, Eckert G, Kroenke K. The outcome of physical symptoms with treatment of depression. *J Gen Intern Med* 2004;**19**:813–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15242465

Haider A, Shaw JC. Treatment of acne vulgaris. *JAMA* 2004;**292**:726–35.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15304471

Holmes C, Wilkinson D, Dean C, *et al.* The efficacy of donepezil in the treatment of neuropsychiatric symptoms in Alzheimer disease. *Neurology* 2004;**63**:214–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15277611

Keefe FJ, Blumenthal J, Baucom D, *et al.* Effects of spouse-assisted coping skills training and exercise training in patients with osteoarthritic knee pain: a randomized controlled study. *Pain* 2004;**110**:539–49.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15288394

Larson RJ, Fisher ES. Should aspirin be continued in patients started on warfarin? *J Gen Intern Med* 2004;**19**:879–86.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15242475

Mayo-Smith MF, Beecher LH, Fischer TL, *et al.*, and the Working Group on the Management of Alcohol Withdrawal Delirium, Practice Guidelines Committee, American Society of Addiction Medicine. Management of alcohol withdrawal delirium: an evidence-based practice guideline. *Arch Intern Med* 2004;**164**:1405–12.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15249349

Norris SL, Zhang X, Avenell A, *et al.* Efficacy of pharmacotherapy for weight loss in adults with type 2 diabetes mellitus: a meta-analysis. *Arch Intern Med* 2004;**164**:1395–404.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15249348

Rickard CM, Couchman BA, Hughes M, *et al.* Preventing hypothermia during continuous veno-venous haemodiafiltration: a randomized controlled trial. *J Adv Nurs* 2004;**47**:393–400.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15271158

Sutters KA, Miaskowski C, Holdridge-Zeuner D, *et al.* A randomized clinical trial of the effectiveness of a scheduled oral analgesic dosing regimen for the management of postoperative pain in children following tonsillectomy. *Pain* 2004;**110**:49–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15275751

Wardlaw A, Larivee P, Eller J, *et al.* Efficacy and safety of mometasone furoate dry powder inhaler vs fluticasone propionate metered-dose inhaler in asthma subjects previously using fluticasone propionate. *Ann Allergy Asthma Immunol* 2004;**93**:49–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15281471

Wechsberg WM, Lam WK, Zule WA, *et al.* Efficacy of a woman-focused intervention to reduce HIV risk and increase self-sufficiency among African American crack abusers. *Am J Public Health* 2004;**94**:1165–73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15226138

Wiese J, McPherson S, Odden MC, *et al.* Effect of *Opuntia ficus indica* on symptoms of the alcohol hangover. *Arch Intern Med* 2004;**164**:1334–40.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15226168

Wilt TJ, Bloomfield HE, MacDonald R, *et al.* Effectiveness of statin therapy in adults with coronary heart disease. *Arch Intern Med* 2004;**164**:1427–36.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15249352

Wolf AM, Conaway MR, Crowther JQ, *et al.*, and the Improving Control with Activity and Nutrition (ICAN) Study. Translating lifestyle intervention to practice in obese patients with type 2 diabetes: Improving Control with Activity and Nutrition (ICAN) study. *Diabetes Care* 2004;**27**:1570–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15220230

Causation

Roy E, Haley N, Leclerc P, *et al.* Mortality in a cohort of street youth in Montreal. *JAMA* 2004;**292**:569–74.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15292082

Qualitative

Hudak PL, McKeever PD, Wright JG. Understanding the meaning of satisfaction with treatment outcome. *Med Care* 2004;**42**:718–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15258473