

OTHER ARTICLES NOTED (17 Sept 2004)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Albert X, Huertas I, Pereiro I I, *et al*. Antibiotics for preventing recurrent urinary tract infection in non-pregnant women. *Cochrane Database Syst Rev* 2004;(3):CD001209.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15266443

Alexander J, Tharyan P, Adams C, *et al*. Rapid tranquillisation of violent or agitated patients in a psychiatric emergency setting. Pragmatic randomised trial of intramuscular lorazepam v. haloperidol plus promethazine. *Br J Psychiatry* 2004;**185**:63–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15231557

Binder EF, Brown M, Sinacore DR, *et al*. Effects of extended outpatient rehabilitation after hip fracture: a randomized controlled trial. *JAMA* 2004;**292**:837–46.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15315998

Boureau F, Schneid H, Zeghari N, *et al*. The IPSO study: Ibuprofen, Paracetamol Study in Osteoarthritis. A randomised comparative clinical study comparing the efficacy and safety of ibuprofen and paracetamol analgesic treatment of osteoarthritis of the knee or hip. *Ann Rheum Dis* 2004;**63**:1028–34.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15308513

Cullum N, McInnes E, Bell-Syer S, *et al*. Support surfaces for pressure ulcer prevention. *Cochrane Database Syst Rev* 2004;(3):CD001735.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15266452

Deedwania PC, Gottlieb S, Ghali JK, *et al*, and the MERIT-HF Study Group. Efficacy, safety and tolerability of beta-adrenergic blockade with metoprolol CR/XL in elderly patients with heart failure. *Eur Heart J* 2004;**25**:1300–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15288157

Dodek P, Keenan S, Cook D, *et al*, and the Canadian Critical Care Trials Group and Canadian Critical Care Society. Evidence-based clinical practice guideline for the prevention of ventilator-associated pneumonia. *Ann Intern Med* 2004;141:305–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15313747

Holtzman J, Schmitz K, Babes G, *et al*. Effectiveness of behavioral interventions to modify physical activity behaviors in general populations and cancer patients and survivors. Evidence Report/Technology Assessment Number 102. AHRQ Publication No. 04-E027-2. Rockville, MD: Agency for Healthcare Research and Quality, June 2004.

<http://www.ahrq.gov/clinic/epcsums/pacansum.htm>

Huntley AL, Coon JT, Ernst E. Complementary and alternative medicine for labor pain: a systematic review. *Am J Obstet Gynecol* 2004;191:36–44.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15295342

March J, Silva S, Petrycki S, *et al*, and the Treatment for Adolescents With Depression Study (TADS) Team. Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for Adolescents With Depression Study (TADS) randomized controlled trial. *JAMA* 2004;292:807–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15315995

Mejhert M, Kahan T, Persson H, *et al*. Limited long term effects of a management programme for heart failure. *Heart* 2004;90:1010–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15310688

Meydani SN, Leka LS, Fine BC, *et al*. Vitamin E and respiratory tract infections in elderly nursing home residents: a randomized controlled trial. *JAMA* 2004;292:828–36.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15315997

Pincus T, Koch G, Lei H, *et al*. Patient Preference for Placebo, Acetaminophen (paracetamol) or Celecoxib Efficacy Studies (PACES): two randomised, double blind, placebo controlled, crossover clinical trials in patients with knee or hip osteoarthritis. *Ann Rheum Dis* 2004;63:931–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15082468

Rogers RG, Kammerer-Doak D, Olsen A, *et al*. A randomized, double-blind, placebo-controlled comparison of the effect of nitrofurantoin monohydrate macrocrystals on the development of urinary tract infections after surgery for pelvic organ prolapse and/or stress urinary incontinence with suprapubic catheterization. *Am J Obstet Gynecol* 2004;191:182–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15295362

Schiff M, Minic M. Comparison of the analgesic efficacy and safety of nonprescription doses of naproxen sodium and ibuprofen in the treatment of osteoarthritis of the knee. *J Rheumatol* 2004;**31**:1373–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15229960

Prognosis

Wong SF, Chow KM, Leung TN, *et al*. Pregnancy and perinatal outcomes of women with severe acute respiratory syndrome. *Am J Obstet Gynecol* 2004;**191**:292–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15295381

Causation

Zhu JL, Hjollund NH, Olsen J, and the National Birth Cohort in Denmark. Shift work, duration of pregnancy, and birth weight: the National Birth Cohort in Denmark. *Am J Obstet Gynecol* 2004;**191**:285–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15295380

Quality improvement

Welschen I, Kuyvenhoven MM, Hoes AW, *et al*. Effectiveness of a multiple intervention to reduce antibiotic prescribing for respiratory tract symptoms in primary care: randomised controlled trial. *BMJ* 2004;**329**:431.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15297305

Qualitative

Abrums M. Faith and feminism. How African American women from a storefront church resist oppression in healthcare. *ANS Adv Nurs Sci* 2004;27(3):187–201.