

OTHER ARTICLES NOTED (19 May 2006)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Anton RF, O'Malley SS, Ciraulo DA, *et al.* Combined pharmacotherapies and behavioral interventions for alcohol dependence: the COMBINE study: a randomized controlled trial. *JAMA* 2006; **295**: 2003–17.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16670409

Briel M, Schwartz GG, Thompson PL, *et al.* Effects of early treatment with statins on short-term clinical outcomes in acute coronary syndromes: a meta-analysis of randomized controlled trials. *JAMA* 2006; **295**: 2046–56.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16670413

Chong MS, Ayalon L, Marler M, *et al.* Continuous positive airway pressure reduces subjective daytime sleepiness in patients with mild to moderate Alzheimer's disease with sleep disordered breathing. *J Am Geriatr Soc* 2006; **54**: 777–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16696743

D'Vaz AP, Ostor AJ, Speed CA, *et al.* Pulsed low-intensity ultrasound therapy for chronic lateral epicondylitis: a randomized controlled trial. *Rheumatology (Oxford)* 2006; **45**: 566–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16303817

Durham SR, Yang WH, Pedersen MR, *et al.* Sublingual immunotherapy with once-daily grass allergen tablets: a randomized controlled trial in seasonal allergic rhinoconjunctivitis. *J Allergy Clin Immunol* 2006; **117**: 802–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16630937

Elmer PJ, Obarzanek E, Vollmer WM, *et al.* Effects of comprehensive lifestyle modification on diet, weight, physical fitness, and blood pressure control: 18-month results of a randomized trial. *Ann Intern Med* 2006; **144**: 485–95.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585662

Foster J, Richards R, Showell M. Intravenous in-line filters for preventing morbidity and mortality in neonates. *Cochrane Database Syst Rev* 2006; (2): CD005248.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625631

Gamble C, Ekwari J, Ter Kuile F. Insecticide-treated nets for preventing malaria in pregnancy. *Cochrane Database Syst Rev* 2006; (2):CD003755.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625591

Giles TL, Lasserson TJ, Smith BJ, et al. Continuous positive airways pressure for obstructive sleep apnoea in adults. *Cochrane Database Syst Rev* 2006; (1):CD001106.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437429

Gitlin LN, Winter L, Dennis MP, et al. A randomized trial of a multicomponent home intervention to reduce functional difficulties in older adults. *J Am Geriatr Soc* 2006; **54**: 809–16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16696748

Goldstein J, Silberstein SD, Saper JR, et al. Acetaminophen, aspirin, and caffeine in combination versus ibuprofen for acute migraine: results from a multicenter, double-blind, randomized, parallel-group, single-dose, placebo-controlled study. *Headache* 2006; **46**: 444–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16618262

Hay-Smith E, Dumoulin C. Pelvic floor muscle training versus no treatment, or inactive control treatments, for urinary incontinence in women. *Cochrane Database Syst Rev* 2006; (1):CD005654.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437536

Ibrahim M, Sinn J, McGuire W. Iodine supplementation for the prevention of mortality and adverse neurodevelopmental outcomes in preterm infants. *Cochrane Database Syst Rev* 2006; (2):CD005253.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625632

Jones RB, Pearson J, Cawsey AJ, et al. Effect of different forms of information produced for cancer patients on their use of the information, social support, and anxiety: randomised trial. *BMJ* 2006; **332**: 942–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16597660

Kaltenbach T, Crockett S, Gerson LB. Are lifestyle measures effective in patients with gastroesophageal reflux disease? An evidence-based approach. *Arch Intern Med* 2006; **166**: 965–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16682569

Ker K, Chinnock P. Interventions in the alcohol server setting for preventing injuries. *Cochrane Database Syst Rev* 2006; (2):CD005244.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625630

Lee C, Gong Y, Brok J, *et al*. Hepatitis B immunisation for newborn infants of hepatitis B surface antigen-positive mothers. *Cochrane Database Syst Rev* 2006; (2):CD004790.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625613

Mackenzie R, Walker M, Arsmson A, *et al*. Progesterone for the prevention of preterm birth among women at increased risk: a systematic review and meta-analysis of randomized controlled trials. *Am J Obstet Gynecol* 2006; **194**: 1234–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16647905

McFarland LV. Meta-analysis of probiotics for the prevention of antibiotic associated diarrhea and the treatment of *Clostridium difficile* disease. *Am J Gastroenterol* 2006; **101**: 812–22.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16635227

Mease PJ, Gladman DD, Keystone EC. Alefacept in combination with methotrexate for the treatment of psoriatic arthritis: results of a randomized, double-blind, placebo-controlled study. *Arthritis Rheum* 2006; **54**: 1638–45.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16646026

Meher S, Duley L. Exercise or other physical activity for preventing pre-eclampsia and its complications. *Cochrane Database Syst Rev* 2006; (2):CD005942.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625645

Nussbaumer Y, Bloch KE, Genser T, *et al*. Equivalence of autoadjusted and constant continuous positive airway pressure in home treatment of sleep apnea. *Chest* 2006; **129**: 638–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16537862

O'Brien AV, Jones P, Mullis R, *et al*. Conservative hand therapy treatments in rheumatoid arthritis—a randomized controlled trial. *Rheumatology (Oxford)* 2006; **45**: 577–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16319099

Patrick K, Calfas KJ, Norman GJ, *et al*. Randomized controlled trial of a primary care and home-based intervention for physical activity and nutrition behaviors: PACE+ for adolescents. *Arch Pediatr Adolesc Med* 2006; **160**: 128–36.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461867

Sobel JD, Ferris D, Schwebke J, *et al*. Suppressive antibacterial therapy with 0.75% metronidazole vaginal gel to prevent recurrent bacterial vaginosis. *Am J Obstet Gynecol* 2006; **194**: 1283–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16647911

Strippoli GF, Craig MC, Schena FP, *et al*. Role of blood pressure targets and specific antihypertensive agents used to prevent diabetic nephropathy and delay its progression. *J Am Soc Nephrol* 2006; **17**:S153–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16565242

Symmons D, Tricker K, Harrison M, *et al*. Patients with stable long-standing rheumatoid arthritis continue to deteriorate despite intensified treatment with traditional disease modifying anti-rheumatic drugs—results of the British Rheumatoid Outcome Study Group randomized controlled clinical trial. *Rheumatology (Oxford)* 2006; **45**:558–65.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263778

Yu DS, Thompson DR, Lee DT. Disease management programmes for older people with heart failure: crucial characteristics which improve post-discharge outcomes. *Eur Heart J* 2006; **27**:596–612.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16299021

Prognosis

Newman TB, Liljestrand P, Jeremy RJ, *et al*. Outcomes among newborns with total serum bilirubin levels of 25 mg per deciliter or more. *N Engl J Med* 2006; **354**:1889–900.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16672700

Singh-Grewal D, Schneider R, Bayer N, *et al*. Predictors of disease course and remission in systemic juvenile idiopathic arthritis: significance of early clinical and laboratory features. *Arthritis Rheum* 2006; **54**:1595–1601.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16645998

Causation

DeSalvo KB, Bloser N, Reynolds K, *et al*. Mortality prediction with a single general self-rated health question. A meta-analysis. *J Gen Intern Med* 2006; **21**:267–75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16336622

Houston TK, Kiefe CI, Person SD, *et al*. Active and passive smoking and development of glucose intolerance among young adults in a prospective cohort: CARDIA study. *BMJ* 2006; **332**:1064–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16603565

Moore AA, Giuli L, Gould R, *et al*. Alcohol use, comorbidity, and mortality. *J Am Geriatr Soc* 2006; **54**:757–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16696740

Solomon DH, Avorn J, Sturmer T, et al. Cardiovascular outcomes in new users of coxibs and nonsteroidal antiinflammatory drugs: high-risk subgroups and time course of risk. *Arthritis Rheum* 2006; **54**:1378–89.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16645966

Quality improvement

Grimshaw J, Eccles M, Thomas R, et al. Toward evidence-based quality improvement. Evidence (and its limitations) of the effectiveness of guideline dissemination and implementation strategies 1966–1998. *J Gen Intern Med* 2006; **21 Suppl 2**:S14–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16637955

Kaboli PJ, Hoth AB, McClimon BJ, et al. Clinical pharmacists and inpatient medical care: a systematic review. *Arch Intern Med* 2006; **166**: 955–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16682568

Ranji SR, Steinman MA, Shojania KG, et al. Closing the quality gap: a critical analysis of quality improvement strategies: antibiotic prescribing behavior. *Evid Rep Technol Assess (Summ)* January 2006; Report No. 04(06)-0051-4.
No PMID available.

Economics

Elliott RA, Hooper L, Payne K, et al. Preventing non-steroidal anti-inflammatory drug-induced gastrointestinal toxicity: are older strategies more cost-effective in the general population? *Rheumatology (Oxford)* 2006; **45**: 606–13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16368733

Clinical prediction guides

Covinsky KE, Hilton J, Lindquist K, et al. Development and validation of an index to predict activity of daily living dependence in community-dwelling elders. *Med Care* 2006; **44**: 149–57.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16434914

Kalisvaart KJ, Vreeswijk R, de Jonghe JF, et al. Risk factors and prediction of postoperative delirium in elderly hip-surgery patients: implementation and validation of a medical risk factor model. *J Am Geriatr Soc* 2006; **54**: 817–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16696749

Qualitative

Andreassen HK, Trondsen M, Kummervold PE, *et al.* Patients who use e-mediated communication with their doctor: new constructions of trust in the patient-doctor relationship. *Qual Health Res* 2006; **16**: 238–48.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394212

Bottorff JL, Oliffe J, Kalaw C, *et al.* Men's constructions of smoking in the context of women's tobacco reduction during pregnancy and postpartum. *Soc Sci Med* 2006; **62**: 3096–108.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16414163

Daff D, Stepien JM, Wundke R, *et al.* Perspectives of carers on the move from a hospital to a transitional care unit. *Qual Health Res* 2006; **16**: 189–205.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394209

Davey SJ, Dziurawiec S, O'Brien-Malone A. Men's voices: postnatal depression from the perspective of male partners. *Qual Health Res* 2006; **16**: 206–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394210

Dickerson SS, Boehmke M, Ogle C, *et al.* Seeking and managing hope: patients' experiences using the Internet for cancer care. *Oncol Nurs Forum* 2006; **33**: E8–17.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16470231

Fleming TL, Kowalski KC, Humbert ML, *et al.* Body-related emotional experiences of young aboriginal women. *Qual Health Res* 2006; **16**: 517–37.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513994

Harman G, Clare L. Illness representations and lived experience in early-stage dementia. *Qual Health Res* 2006; **16**: 484–502.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513992

Holt CL, McClure SM. Perceptions of the religion-health connection among African American church members. *Qual Health Res* 2006; **16**: 268–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394214

Humbert ML, Chad KE, Spink KS, *et al.* Factors that influence physical activity participation among high- and low-SES youth. *Qual Health Res* 2006; **16**: 467–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513991

Larson EL, Dilone J, Garcia M, *et al.* Factors which influence Latino community members to self-prescribe antibiotics. *Nurs Res* 2006; **55**: 94–102.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16601621

Mahoney EK, Trudeau SA, Penyack SE, *et al.* Challenges to intervention implementation: lessons learned in the Bathing Persons with Alzheimer's Disease at Home study. *Nurs Res* 2006; **55**:S10–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16601628

Panter-Brick C, Clarke SE, Lomas H, *et al.* Culturally compelling strategies for behaviour change: a social ecology model and case study in malaria prevention. *Soc Sci Med* 2006; **62**: 2810–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16352385

Pfeffer N, Laws S. 'It's only a blood test': what people know and think about venepuncture and blood. *Soc Sci Med* 2006; **62**: 3011–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16426716

Rhodes P, Langdon M, Rowley E, *et al.* What does the use of a computerized checklist mean for patient-centered care? The example of a routine diabetes review. *Qual Health Res* 2006; **16**: 353–76.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449686

Seale C, Chaplin R, Lelliott P, *et al.* Sharing decisions in consultations involving anti-psychotic medication: a qualitative study of psychiatrists' experiences. *Soc Sci Med* 2006; **62**: 2861–73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16343722

Warren-Findlow J. Weathering: stress and heart disease in African American women living in Chicago. *Qual Health Res* 2006; **16**: 221–37.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394211