

OTHER ARTICLES NOTED (27 January 2006)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Aziz O, Athanasiou T, Tekkis PP, *et al.* Laparoscopic versus open appendectomy in children: a meta-analysis. *Ann Surg* 2006; **243**: 17–27.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16371732

Beck CE, Nathan PC, Parkin PC, *et al.* Corticosteroids versus intravenous immune globulin for the treatment of acute immune thrombocytopenic purpura in children: a systematic review and meta-analysis of randomized controlled trials. *J Pediatr* 2005; **147**: 521–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16227040

Brown MJ, McLaine P, Dixon S, *et al.* A randomized, community-based trial of home visiting to reduce blood lead levels in children. *Pediatrics* 2006; **117**: 147–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16396872

Chian LL, Sabo J, Savik K. Effects of three groin compression methods on patient discomfort, distress, and vascular complications following a percutaneous coronary intervention procedure. *Nurs Res* 2005; **54**: 391–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16317360

Doyle LW, Davis PG, Morley CJ, *et al.* Low-dose dexamethasone facilitates extubation among chronically ventilator-dependent infants: a multicenter, international, randomized, controlled trial. *Pediatrics* 2006; **117**: 75–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16396863

DRCNSG. The effects of aerobic exercise on glucose and counterregulatory hormone concentrations in children with type 1 diabetes. *Diabetes Care* 2006; **29**: 20–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16373890

Frangou S, Lewis M, McCrone P. Efficacy of ethyl-eicosapentaenoic acid in bipolar depression: randomised double-blind placebo-controlled study. *Br J Psychiatry* 2006; **188**: 46–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16388069

Fulda GJ, Giberson F, Fagraeus L. A prospective randomized trial of nebulized morphine compared with patient-controlled analgesia morphine in the management of acute thoracic pain. *J Trauma* 2005; **59**: 383–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16294079

Leyden JJ, Krochmal L, Yaroshinsky A. Two randomized, double-blind, controlled trials of 2219 subjects to compare the combination clindamycin/tretinoin hydrogel with each agent alone and vehicle for the treatment of acne vulgaris. *J Am Acad Dermatol* 2006; **54**: 73–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16384759

Suri RS, Nesrallah GE, Mainra R, *et al.* Daily hemodialysis: a systematic review. *Clin J Am Soc Nephrol* 2006; **1**: 33–42.

No PMID available.

Sherman KJ, Cherkin DC, Erro J, *et al.* Comparing yoga, exercise, and a self-care book for chronic low back pain: a randomized, controlled trial. *Ann Intern Med* 2005; **143**: 849–56.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16365466

Stallone G, Infante B, Schena A, *et al.* Rapamycin for treatment of chronic allograft nephropathy in renal transplant patients. *J Am Soc Nephrol* 2005; **16**: 3755–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16236802

Wikstrom B, Gellert R, Ladefoged SD, *et al.* K-Opioid system in uremic pruritus: multicenter, randomized, double-blind, placebo-controlled clinical studies. *J Am Soc Nephrol* 2005; **16**: 3742–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16251241

Assessment (screening or diagnosis)

Armstrong KA, Prins JB, Beller EM. Should an oral glucose tolerance test be performed routinely in all renal transplant recipients? *Clin J Am Soc Nephrol* 2006; **1**: 100–8.

No PMID available.

Prognosis

Chi RC, Jackson LA, Neuzil KM. Characteristics and outcomes of older adults with community-acquired pneumococcal bacteremia. *J Am Geriatr Soc* 2006; **54**: 115–20.

No PMID available.

Hall YN, Sugihara JG, Go AS, *et al.* Differential mortality and transplantation rates among Asians and Pacific Islanders with ESRD. *J Am Soc Nephrol* 2005; **16**: 3711–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16236803

Koivisto M, Marttila R, Saarela T, *et al*. Wheezing illness and re-hospitalization in the first two years of life after neonatal respiratory distress syndrome. *J Pediatr* 2005; **147**: 486–92.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16227035

Rumpfeld M, McDonald SP, Johnson DW. Higher peritoneal transport status is associated with higher mortality and technique failure in the Australian and New Zealand peritoneal dialysis patient populations. *J Am Soc Nephrol* 2006; **17**: 271–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16306167

Stoddard FJ, Saxe G, Ronfeldt H, *et al*. Acute stress symptoms in young children with burns. *J Am Acad Child Adolesc Psychiatry* 2006; **45**: 87–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16327585

Causation

Brunner EJ, Shipley MJ, Witte DR, *et al*. Relation between blood glucose and coronary mortality over 33 years in the Whitehall Study. *Diabetes Care* 2006; **29**: 26–31.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16373891

Lewis C, Suffet IH, Ritz B. Estimated effects of disinfection by-products on birth weight in a population served by a single water utility. *Am J Epidemiol* 2006; **163**: 38–47.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16282238

Morse SB, Wu SS, Ma C, *et al*. Racial and gender differences in the viability of extremely low birth weight infants: a population-based study. *Pediatrics* 2006; **117**: e106–12.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16396844

van den Brink CL, Tijhuis M, van den Bos GA, *et al*. The contribution of self-rated health and depressive symptoms to disability severity as a predictor of 10-year mortality in European elderly men. *Am J Public Health* 2005; **95**: 2029–34.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16195527

Clinical prediction guides

Smith GC, White IR. Predicting the risk for sudden infant death syndrome from obstetric characteristics: a retrospective cohort study of 505,011 live births. *Pediatrics* 2006; **117**: 60–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16396861

Qualitative

Allen J, Fabri AM. An evaluation of a community aged care nurse practitioner service. *J Clin Nurs* 2005; **14**: 1202–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16238766

Bradley EH, Roumanis SA, Radford MJ, *et al.* Achieving door-to-balloon times that meet quality guidelines: how do successful hospitals do it? *J Am Coll Cardiol* 2005; **46**: 1236–41.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16198837

Carnevale FA, Alexander E, Davis M, *et al.* Daily living with distress and enrichment: the moral experience of families with ventilator-assisted children at home. *Pediatrics* 2006; **117**: e48–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16396848

Clark AM, Whelan HK, Barbour R, *et al.* A realist study of the mechanisms of cardiac rehabilitation. *J Adv Nurs* 2005; **52**: 362–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16268840

Crom DB, Hinds PS, Gattuso JS, *et al.* Creating the basis for a breast health program for female survivors of Hodgkin disease using a participatory research approach. *Oncol Nurs Forum* 2005; **32**: 1131–41.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16270109

Knott A, Kee CC. Nurses' beliefs about family presence during resuscitation. *Appl Nurs Res* 2005; **18**: 192–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16298694

McCaughan D, Thompson C, Cullum N, *et al.* Nurse practitioner and practice nurses' use of research information in clinical decision making: findings from an exploratory study. *Fam Pract* 2005; **22**: 490–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15964873

Melby V, Ryan A. Caring for older people in prehospital emergency care: can nurses make a difference? *J Clin Nurs* 2005; **14**: 1141–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16164532

Morgan PD, Fogel J, Rose L, *et al.* African American couples merging strengths to successfully cope with breast cancer. *Oncol Nurs Forum* 2005; **32**: 979–87.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16136196

Roche B, Cowley S, Salt N, *et al.* Reassurance or judgement? Parents' views on the delivery of child health surveillance programmes. *Fam Pract* 2005; **22**: 507–12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15964869

Ryan PY. Approaching death: a phenomenologic study of five older adults with advanced cancer. *Oncol Nurs Forum* 2005; **32**: 1101–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16270106

Sinding C, Wiernikowski J, Aronson J. Cancer care from the perspectives of older women. *Oncol Nurs Forum* 2005; **32**: 1169–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16270112

Tan HM, Braunack-Mayer A, Beilby J. The impact of the hospice environment on patient spiritual expression. *Oncol Nurs Forum* 2005; **32**: 1049–55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16136203

Wellstood K, Wilson K, Eyles J. "Unless you went in with your head under your arm": patient perceptions of emergency room visits. *Soc Sci Med* 2005; **61**: 2363–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15953669