

Evidence-Based Nursing

Contents

Purpose and procedure	34	Review: no evidence exists that thrombolysis is better than heparin for reducing the risk of recurrent pulmonary embolism and death.....	52
EBN notebook			
The paths from research to improved health outcomes	36	Review: a single dose of oral naproxen or naproxen sodium reduced acute postoperative pain in adults....	53
bmjupdates ⁺ , a new FREE service for evidence-based clinical practice.....	39	Short term catheterisation after vaginal prolapse surgery increased recatheterisations, but reduced urinary tract infections, duration of catheterisation, and hospital stay	54
Resource review	40	Review: magnesium prophylaxis after cardiac surgery reduces the risk of arrhythmia and atrial fibrillation ..	55
Treatment		Review: non-invasive interventions improve symptoms and psychological functioning in patients with lung cancer.....	56
Dexamethasone reduced the incidence of children with mild croup who returned for medical care.....	41	Assessment (screening or diagnosis)	
Review: β agonist delivery by metered dose inhaler with a valved holding chamber (compared with a nebuliser) reduces admissions in preschool children and infants with acute asthma or wheezing	42	Review: capillary refill time, abnormal skin turgor, and abnormal respiratory pattern are useful signs for detecting dehydration in children	57
A multifaceted, home based, environmental intervention reduced asthma related morbidity in children with atopic asthma	43	Review: a low clinical probability plus a normal D-dimer test result excludes a diagnosis of deep venous thrombosis.....	58
Short term coseasonal sublingual immunotherapy reduced the development of asthma in children with hay fever.....	44	Qualitative	
Fluoxetine plus cognitive behavioural therapy was most effective for adolescents with major depressive disorder	45	Mothers with post-traumatic stress disorder after traumatic childbirth struggled to survive and experienced nightmares, flashbacks, anger, anxiety, depression, and isolation.....	59
A telephone psychotherapy programme improved clinical outcomes in patients beginning antidepressant treatment	46	Parents' decisions on MMR vaccination for their children were based on personal experience rather than scientific evidence	60
Review: vaccination reduces the incidence of serologically confirmed influenza in healthy adults....	47	Patients with acute exacerbations of COPD saw anxiety as a sign, rather than cause, of breathlessness.....	61
Review: antioxidant supplementation does not reduce gastrointestinal cancer	48	Palliative care involved a specific concept of care focusing on life and optimising patient quality of life ..	62
Fluconazole reduced the rate of recurrence of vulvovaginal candidiasis	49	Arthritis symptoms, information sources, and a constantly shifting threshold of risk-benefit ratios influenced elderly patients' decisions about total joint replacement.....	63
Volunteers trained in CPR and use of automated external defibrillators increased survival after out of hospital cardiac arrest.....	50	5 themes described the views of older people on advance care statements and their role in end of life care	64
Methylprednisolone was associated with an increase in death after head injury	51	Glossary	Inside back cover

Search all issues of *Evidence-Based Nursing* published since 1998 and over 300 medical journals through Highwire press at evidencebasednursing.com. EBN 36452.